AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A power tool including a driven member that is operable to grip and drive at least one for use with a working element, and a power drive connected to the driven member the power tool being operable in either a working mode in which the driven member is driven to enable the working element to perform work, or an adjustment mode, in which the driven member is adjusted to grip or release the working element, and selector operable to cause the power tool to operate in one or the other of said modes including:

a driven member having a body part and an adjustment part that when in the adjustment mode are moveable relative to one another to grip or release the working element, and when in the working mode the body part and adjustment part move together to drive the working element to enable the working element to perform work,

a power drive including a motor and a gear assembly through which the motor is connected to the body part to drive the body part at either a slow speed or a relatively fast speed, and

a selector operable to cause the power tool to operate in the working mode or the adjustment mode and to cause the power drive to drive the body part at the slow speed when in the adjustment mode.

- 2. Canceled
- 3. Canceled

- 4. (Currently amended) A power tool according to claim [[2]]1, including a lock operable to engage said adjustment part and enable the two said parts to move relative to one another, adjustment part to move relative to the body part, and said selector is operable to cause said lock to engage with or disengage from said adjustment part.
- 5. (Currently amended) A power tool according to claim 4, wherein said power tool is in the working mode when said lock is disengaged from said adjustment part, and is in said the adjustment mode when said lock is engaged with the adjustment part.
- 6. (Currently amended) A power tool according to claim 4, wherein said relative movement of the body part relative to the adjustment part occurs in response to operation of said power drive while said lock engages said adjustment part.
 - 7. Canceled.
 - 8. Canceled.
- 9. (Currently amended) A power tool according to claim [[8]]4, wherein said driven member is a chuck adapted to grip and drive a working element in the form of a drill bit, and said power drive operates to rotate said chuck about an axis during said working mode.
- 10. (Currently amended) A power tool according to claim [[4]]9, wherein said body part is a chuck head and said adjustment part is an adjusting nut, and when in adjustment mode the lock engages the adjusting nut to stop it rotating with the chuck head.
- 11. (Original) A power tool according to claim 10, wherein rotation of the chuck head relative to the adjustment nut moves two or more jaws to grip or release the drill bit.

- 12. Canceled.
- 13. (Previously presented) A power tool according to claim 1, wherein said driven member is a chuck adapted to grip and drive a drill bit, and said power drive operates to rotate said chuck during said working mode.
- 14. (New) A power tool according to claim 11, wherein-said power drive includes a motor and a gear assembly through which said motor is connected to said driven member the lock includes an internal spline, the adjustment part including a complementary external spline that is engaged by the internal spline of the lock when the power tool is in the adjustment mode.
- 15. (New) A power tool according to claim 14, wherein the lock is moved in the direction of an axis of the power tool between engaging the adjustment part and disengaging from the adjustment part.
- 16. (New) A power tool according to claim 15, wherein the internal spline and external spline extend in the direction of the axis of the power tool.
- 17. (New) A power tool according to claim 16, wherein the gear assembly includes a ring gear that is movable in the direction of the axis of the power tool to change between the slow speed and fast speed, the power tool including linkage means to link the ring gear to the lock to move with the ring gear.